

MATERIAL SAFETY DATA SHEET

EVENCURE AC

COMPANY DETAILS

Page 1 of 2

Name: Evenrange Australia,
Address: 12 Frankston Gardens Dve., CARRUM DOWNS, Vic 3201
Phone: (03) 9782 3233
Fax: (03) 9782 3244

IDENTIFICATION

Product Name: EVENCURE AC
Shipping Name: Polymer emulsion
Subsidiary Risk: N/A
Poisons Schedule: N/A
U.N. Number: NAS
Dangerous Goods Class: Non hazardous
Hazchem Code: Non hazardous
Packaging Group: N/A

Chemical Description: Acrylic modified emulsion.

Use: Concrete curing compound.

PHYSICAL DESCRIPTION / PROPERTIES

Appearance: Milky white liquid
Odour: Slightly fruity
Solubility in water (g/l): Totally soluble
Boiling Point: 100°C
pH: >8
Solids (%): 35% +/- 1%
Flash Point (°C): N/A (Non flammable)
Flammability Limit (%): N/A
Specific Gravity: N/A
In organic solvents: N/A
Vapour Pressure @25°C: NAS
Relative Density: 0.98
Shelf Life: 18 months
Other properties: NAS

INGREDIENTS

Chemical Entity Exposure	CAS Number	%By Weight	Threshold Limit Value			
			Time weighted Average Short Time			
			ppm	mg/m	ppm	mg/m
Mixed acrylics	80-62-6	Trace	100	410	125	510
Ammonia	7664-41-7	0.27%	25	17	35	24

HEALTH HAZARD INFORMATION

EMERGENCY AND FIRST AID PROCEDURES

Swallowed: No serious poisoning hazard. Drink plenty of water and seek medical assistance.

VOC Content Test Certificate

Thursday July 23rd, 2009

Manufacturer: Evenrange Australia (12 Frankston Gardens Drive, Carrum Downs Victoria 3201)

Sample Description: Evencure AC concrete curing and sealant

Date Tested: July 2009 (Tested by FORAY Laboratories – NATA Accreditation 1231)

Test Method: SCAQMD Method 304-91 Determination of Volatile Organic Compounds (VOC) in Various Materials as referenced by South Coast Air Quality Management Division (SCAQMD) Rule 1168.

Test Data:

Specification Green Building Council of Australia Green Star Office Design V2 IEQ-13 Green Star Office Interiors V1.1 IEQ-11	Evencure AC
Architectural Sealant 250 grams per Litre as VOC content material	<1 gram per Litre as VOC content material
Specification Green Building Council of Australia Green Star Office Design V3 IEQ-13	Evencure AC
Architectural Sealant 250 grams per Litre as VOC content material	<1 gram per Litre as VOC content material



Dr. Vyt Garnys
PhD, BSc(Hons) AIMM, ARACI, ISIAQ
ACA, AIRAH, FMA
Managing Director and Principal Consultant

F0907-22